


ATERMKA


ZALOGOVNIKI ZA TOPLOTNE ČRPALKE AKTIVNO HLAJENJE IN OGREVANJE

*** PRIMERNI ZA OGREVANJE IN HLAJENJE**



MODEL		V 50 36	10047 A02 P2	V 200 60-AC
ŠIFRA		422570	303566	303565
VOLUMEN	L	52	101	202
NETO TEŽA	kg	24,2	26	44
IZOLACIJA	mm	50	32	50
ENERG. RAZRED		B	C	B
MAX TEMP.	T°C	95	95	95
TLAK	bar	10	6	3
TERMO PAKET	kom	1	1	2
PRIK. ZA ODZRAČ.	AV	6/4"	3/4"	6/4"
TALNI IZPUST	D	6/4"	3/4"	3/4"B
PRIKLJUČKI	L; 1, 2, 3, 4	5/4"	6/4"	6/4"
PRIK. ZA TIPALA	TS; 1, 2, 3, 4	1/2"	1/2"	1/2"
VIŠINA	mm	865	985	1202
NAGIBNA VIŠINA	mm	953	1020	1343
q	mm	718	221	995
r	mm	528	170	730
s	mm	338	170	465
t	mm	148	253	200
u	mm			75
ØC (mm)	mm	400	470/496	600
ØD (mm)	mm	300	406	500
CENA	€	334,00 €	380,00 €	



ZALOGOVNIKI ZA OGREVALNE SISTEME



MODEL		V 300 65 F41	V 500 75 F42
ŠIFRA		300634	300636
VOLUMEN	L	300	500
NETO TEŽA	kg	59	121
IZOLACIJA	mm	50	50
ENERG. RAZRED		B	C
MAX TEMP.	T°C	95	95
TLAK	bar	3	3
TERMO PAKET	kom	4	4
PRIK. ZA ODZRAČ.	AV	6/4"	6/4"
TALNI IZPUST	D	3/4"	3/4"
PRIKLJUČKI	L; 1, 2, 3, 4	6/4"	6/4"
PRIK. ZA TIPALA	TS; 1, 2, 3, 4	1/2"	1/2"
VIŠINA	mm	1420	1674
NAGIBNA VIŠINA	mm	1563	1823
q	mm	1208	1451
r	mm	873	1039
s	mm	538	627
t	mm	203	215
u	mm	52	67
ØC (mm)	mm	650	750
ØD (mm)	mm	550	650
CENA	€		747,50 €

TERMİKA


GRELNIKI VODE Z VEČJIM TOPLOTNIM IZMENJEVALCEM



MODEL		EV 2x12S 200 60	EV 2x15S 300 65	EV 2x23 S 500 75 HP
ŠIFRA		305251	305257	305231
VOLUMEN	L	196	285	451
NETO TEŽA	kg	85	112	183
IZOLACIJA	mm	50	50	50
POVRŠINA T.I.	m ²	2,1	3	6
VOLUMEN T. I.	L	12,5	18,3	33
ENERG. RAZRED		B	B	C
MAX TEMP.	T°C	95	95	95
MAX TEMP. T.I.	T°C	110	110	110
TLAK	bar	8	8	8
TLAK T.I.	bar	6	6	6
TERMO PAKET	kom	3	3	3
MRZLA VODA	CW	1"	1"	1"
TOPLA VODA	HW	1"	1"	1"
PRIK. ZA T. I.	IS, OS	1"	1"	1"
CIRKULACIJA	R	3/4"	3/4"	3/4"
TERMOMETER	T	FI 14 x 1,5	FI 14 x 1,5	FI 14 x 1,5
TERMOREGULACIJA	TR	1/2"	1/2"	1/2"
PRIK. ZA TIPALA	TS; 1, 2, 3	1/2"	1/2"	1/2"
VIŠINA	mm	1202	1420	1670
NAGIBNA VIŠINA	mm	1345	1560	1823
a	mm	996	1184	1474
c	mm	264	278	405
d	mm	996	1184	1447
i	mm	792	937	1378
k	mm	202	205	225
l	mm	897	1055	1161
m	mm	633	691	864
n	mm	360	398	467
ØC (mm)	mm	600	650	750
ØD (mm)	mm	500	550	650
CENA	€	789,00 €	889,00 €	1.363,00 €

TERMIKA


GRELNIKI VODE



MODEL		EV 9S 160 60	EV 9S 200 60	EV12S 300 65	EV 11S 400 75	EV 15S 500 75
ŠIFRA		301408	301409	301394	301392	301395
VOLUMEN	L	160	200	300	400	500
NETO TEŽA	kg	54	65	92	137	145
IZOLACIJA	mm	50	50	50	50	50
POVRŠINA T.I.	m ²	0,96	0,96	1,45	1,65	2,25
VOLUMEN T. I.	L	5,8	5,8	8,8	10	13,7
ENERG. RAZRED		B	B	B	C	C
MAX TEMP.	T°C	95	95	95	95	95
MAX TEMP. T.I.	T°C					
TLAK	bar	8	8	8	8	8
TLAK T.I.	bar	6	6	6	6	6
TERMO PAKET	kom	1	1	1	1	1
MRZLA VODA	CW	1"	1"	1"	1"	1"
TOPLA VODA	HW	1"	1"	1"	1"	1"
PRIK. ZA T. I.	IS, OS	1"	1"	1"	1"	1"
CIRKULACIJA	R	3/4"	3/4"	3/4"	3/4"	3/4"
TERMOMETER	T	FI 14 x 1,5	FI 14 x 1,5	FI 14 x 1,5	FI 14 x 1,5	FI 14 x 1,5
TERMOREGULAC.	TR	1/2"	1/2"	1/2"	1/2"	1/2"
PRIK. ZA TIPALA	TS; 1,2,3	1/2"	1/2"	1/2"	1/2"	1/2"
ODPRTINA ZA ELEKTRO ELEMENT	EE	6/4"	6/4"	6/4"	6/4"	6/4"
VIŠINA	mm	1007	1200	1420	1407	1674
NAGIBNA VIŠ.	mm	1169	1345	1563	1596	1838
a	mm	785	993	1207	1156	1448
b	mm	-	714	846	813	986
c	mm	314	314	314	331	324
d	mm	785	993	1207	1156	1448
f	mm	602	771	1010	945	1199
i	mm	671	671	804	775	944
j	mm	284	284	288	302	299
k	mm	200	199	203	220	214
n	mm	360	564	653	617	750
ØC (mm)	mm	600	600	650	750	750
ØD (mm)	mm	500	500	550	650	650
CENA	€		682,00 €	811,00 €		

TERMIKA


GRELNIKI VODE VEČIH VOLUMNOV



MODEL		EV 12S 800 99 F43 TP	EV 13S 1000 105 F44 TP
ŠIFRA		303053	303052
VOLUMEN	L	800	988
NETO TEŽA	kg	221	233
IZOLACIJA	mm	100	100
POVRŠINA T.I.	m ²	2,9	3
VOLUMEN T. I.	L	26,2	31,3
ENERG. RAZRED		E	E
MAX TEMP.	T°C	95	95
MAX TEMP. T.I.	T°C	110	110
TLAK	bar	8	8
TLAK T.I.	bar	6	6
TERMO PAKET	kom	2	2
MRZLA VODA	CW	6/4"	6/4"
TOPLA VODA	HW	6/4"	6/4"
PRIK. ZA T. I.	IS, OS	6/4"	6/4"
CIRKULACIJA	R	3/4"	3/4"
TERMOMETER	T	FI 14 x 1,5	FI 14 X 1,5
TERMOREGULACIJA	TR	1/2"	1/2"
PRIK. ZA TIPALA	TS; 1, 2, 3	1/2"	1/2"
ODPRTINA ZA ELEKTRO ELEMENT	EE	6/4"	6/4"
ODPRTINA ZA ODZRAČEVANJE	AV	3/4"	3/4"
VIŠINA	mm	1937	2002
NAGIBNA VIŠINA	mm	2012	2097
a	mm	1592	1475
b	mm	1051	1132
c	mm	351	354
d	mm	1780	1846
f	mm	1273	1274
i	mm	929	987
j	mm	269	272
k	mm	82,5	81,5
n	mm	756	830
ØC (mm)	mm	990	1050
ØD (mm)	mm	790	850
CENA	€		

TERMİKA


GRELNIKI VODE - SOLAR



MODEL		EV 6/4 S2 160 60	EV 7/5 S2 200 60	EV 10/7 S2 300 65	EV 11/5 S2 400 75	EV 15/7 S2 500 75
ŠIFRA		302165	301407	301391	301393	301396
VOLUMEN	L	160	200	294	400	500
NETO TEŽA	kg	66	70	100	146	158
IZOLACIJA	mm	50	50	50	50	50
POVRŠINA T.I.	m ²	0,61	0,75	1,21	1,65	2,25
POV. T.I. SOLAR	m ²	0,43	0,54	0,85	0,76	1,06
VOLUMEN T. I.	L	3,6	4,6	7,4	10	13,7
VOL. T.I. SOLAR	L	2,6	3,3	5,2	4,6	6,4
ENERG. RAZRED		B	B	B	C	C
MAX TEMP.	T°C	95	95	95	95	95
TLAK	bar	8	8	8	8	8
TLAK T.I.	bar	6	6	6	6	6
TERMO PAKET	kom	2	2	2	2	2
MRZLA VODA	CW	1"	1"	1"	1"	1"
TOPLA VODA	HW	1"	1"	1"	1"	1"
PRIK. ZA T. I. 1	IS1,OS1	1"	1"	1"	1"	1"
PRIK. ZA T. I. 2	IS2,OS2	1"	1"	1"	1"	1"
CIRKULACIJA	R	3/4"	3/4"	3/4"	3/4"	3/4"
TERMOMETER	T	FI 14 x 1,5	FI 14 x 1,5	FI 14 x 1,5	FI 14 x 1,5	FI 14 x 1,5
TERMOREGULAC.	TR	1/2"	1/2"	1/2"	1/2"	1/2"
PRIK. ZA TIPALA	TS; 1,2	1/2"	1/2"	1/2"	1/2"	1/2"
ODPRTINA ZA ELEKTRO ELEMENT	EE	6/4"	6/4"	6/4"	6/4"	6/4"
VIŠINA	mm	1007	1200	1420	1407	1674
NAGIBNA VIŠ.	mm	649	1345	1563	1596	1838
a	mm	785	993	1207	1156	1448
b	mm	519	628	760	813	986
c	mm	279	314	314	331	324
d	mm	788	993	1207	1156	1448
e	mm	741	886	1104	1073	1330
f	mm	-	746	903	943	1165
g	mm	569	671	803	858	1029
i	mm	475	585	718	775	944
j	mm	204	284	288	302	299
k	mm	204	199	203	220	214
m	mm	-	815	996	998	1265
n	mm	349	478	610	617	750
ØC (mm)	mm	600	600	650	750	750
ØD (mm)	mm	500	500	550	650	650
CENA	€					

TERMIKA



GRELNIKI VODE VEČJIH VOLUMNOV SOLAR



MODEL		EV 12/9S2 800 99 F43 TP2	EV 13/7S2 1000 105F44 TP2
ŠIFRA		303051	303050
VOLUMEN	L	800	981
NETO TEŽA	kg	252	279
IZOLACIJA	mm	100	100
POVRŠINA T.I.	m ²	2,9	3,45
POV. T.I. SOLAR	m ²	1,5	1,31
VOLUMEN T. I.	L	26,2	31,3
VOL. T.I. SOLAR	L	9,4	7,9
ENERG. RAZRED		E	E
MAX TEMP.	T°C	95	95
TLAK	bar	8	8
TLAK T.I.	bar	6	6
TERMO PAKET	kom	2	2
MRZLA VODA	CW	6/4"	6/4"
TOPLA VODA	HW	6/4"	6/4"
PRIK. ZA T. I. 1	IS1, OS1	6/4"	6/4"
PRIK. ZA T. I. 2	IS2, OS2	1"	1"
CIRKULACIJA	R	3/4"	3/4"
TERMOMETER	T	FI 14 x 1,5	FI 14 x 1,5
TERMOREGULACIJA	TR	1/2"	1/2"
PRIK. ZA TIPALA	TS; 1, 2	1/2"	1/2"
ODPRTINA ZA ELEKTRO ELEMENT	EE	1/2"	1/2"
ODPRTINA ZA ODZRAČEVANJE	AV	3/4"	3/4"
VIŠINA	mm	1937	2002
NAGIBNA VIŠINA	mm	2014	2100
a	mm	1592	1475
b	mm	1051	1132
c	mm	351	354
d	mm	1778	1847
e	mm	1492	1475
f	mm	1273	1274
g	mm	1105	1174
i	mm	929	987
j	mm	269	272
k	mm	82,5	81,5
m	mm	1363	1374
n	mm	756	817
ØC (mm)	mm	990	1050
ØD (mm)	mm	790	850
CENA	€		

TERMİKA

GRELNIKI VODE WP - SOL / TOPLOTNA ČRPALKA - SOLAR





MODEL		EV 2x5/2x 12 S2 300 65	EV 2x6/2x 13 S2 500 75
ŠIFRA		305255	305249
VOLUMEN	L	283	483
NETO TEŽA	kg	116	172
IZOLACIJA	mm	50	50
POVRŠINA T.I.	m ²	2,45	3,45
POV. T.I. SOLAR	m ²	1,00	1,55
VOLUMEN T. I.	L	14,7	21
VOL. T.I. SOLAR	L	6,0	9,3
ENERG. RAZRED		B	C
MAX TEMP.	T°C	95	95
TLAK	bar	8	8
TLAK T.I.	bar	6	6
TERMO PAKET	kom	3	3
MRZLA VODA	CW	1"	1"
TOPLA VODA	HW	1"	1"
PRIK. ZA T. I. 1	IS1, OS1	1"	1"
PRIK. ZA T. I. 2	IS2, OS2	1"	1"
CIRKULACIJA	R	3/4"	3/4"
TERMOMETER	T	FI 14 x 1,5	FI 14 x 1,5
TERMOREGULACIJA	TR	1/2"	1/2"
PRIK. ZA TIPALA	TS; 1, 2, 3	1/2"	1/2"
VIŠINA	mm	1420	1802
NAGIBNA VIŠINA	mm	1560	1945
a	mm	1184	996
c	mm	533	483
d	mm	1184	996
e	mm	1150	966
f	mm	1055	817
g	mm	574	519
i	mm	485	434
j	mm	205	202
k	mm	205	202
l	mm	1055	817
m	mm	726	
n	mm	398	360
ØC (mm)	mm	650	750
ØD (mm)	mm	550	650
CENA	€	1.317,00 €	1.799,00 €


TERMIKA

ELEKTRO GRELCI

MODEL		CHE 2400F	CHE 4800R
ŠIFRA		301667	301668
NAPETOST	W	230 V / 50 Hz	230 V / 50 Hz
NAZIVNI TOK	A	10,4	20,8
ZA UPORABO Z GELNIKI VOLUMNA	L	160, 200, 300, 400, 500	160, 200, 300, 400, 500
IP ŠIFRA		IPx4	IPx4
RAZPON TEMPERATURE		S FIKSNIM TERMOSTATOM 65°C	S TERMOSTATOM OD 5°C DO 65°C
DIMENZIJA (PRIROBNICA Ø / DOLŽINA / VGRADNA DOLŽINA)	mm	180/540/420	180/540/420
CENA	€	204,12 €	



CHE 2400 F



CHE 4800 R






MODEL		ELEKTRO GRELEC 3kW	ELEKTRO GRELEC 7,5kW
ŠIFRA		301455	300563
PRIKLJUČEK		NAVOJNI	NAVOJNI
NAPETOST	W	230 V / TROFAZNI	400 V / TROFAZNI
ZA UPORABO Z GELNIKI VOLUMNA	L	160, 200, 300, 400, 500	750, 800, 1000, 1500, 2000
TERMOSTAT		PRILOŽEN	PRILOŽEN
DIMENZIJA (PRIROBNICA Ø / DOLŽINA)	mm	6/4" / 290	6/4" / 615
CENA	€		

MONTAŽA MOŽNA V KOMBINACIJI S TESY PRIROBNICO ZA BOILER 750-2000L - 6/4"

PRIROBNICA	KOM	CENA
------------	-----	------



TERMICA

ZALOGOVNIK VODE ZGORNJI PRIKLOP





MODEL		WGJ 100 B ZG.	WGJ 200 B ZG.
ŠIFRA			
VOLUMEN	L	100	200
NETO TEŽA	kg	33	34
IZOLACIJA	mm	50	54
ENERG. RAZRED		A	A
MAX TEMP.	T°C	80	80
TLAK	bar	3	3
ELEKTRO GR.		6/4"	6/4"
PRIK. ZA ODZRAČ.			
TALNI IZPUST			
PRIKLJUČKI		1"	1"
PRIK. ZA TIPALA		1/2"	1/2"
VIŠINA	mm	842	1035
NAGIBNA VIŠINA	mm		
MG	mm		
r	mm		
s	mm		
t	mm		
u	mm		
ØC (mm)	mm	465	612
ØD (mm)	mm	565	720
ZAKLJUČNI SET	€		
CENA	€	410,00 €	604,00 €

ZALOGOVNIK VODE STRANSKI PRIKLOP



MODEL		WGJ 220	WGJ 300
ŠIFRA			
VOLUMEN	L	220	300
NETO TEŽA	kg	57	87
IZOLACIJA	mm	70	70
ENERG. RAZRED		B	B
MAX TEMP.	T°C	80	80
TLAK	bar	3	3
ELEKTRO GR.			
PRIK. ZA ODZRAČ.	AV	1/2"	1/2"
IZPUST	ZS	3/4"	3/4"
KP		6/4"	6/4"
PRIK. ZA TIPALA			
VIŠINA	mm	1340	1805
A	mm	270	270
B	mm	535	695
C	mm	805	1125
E	mm	1070	1550
EMAJLIRAN	mm	DA	DA
KP1	mm	5/4"	5/4"
ØC (mm)	mm	510	510
ØD (mm)	mm	650	650
ZAKLJUČNI SET	€		
CENA	€	524,00 €	630,00 €




MODEL		EL BOJLER 200L	EL BOJLER 300L
ŠIFRA			
VOLUMEN	L	200	300
NETO TEŽA	kg	85	105
IZOLACIJA	mm	65	65
ENERG. RAZRED		B	B
MAX TEMP.	T°C	95	95
TLAK	bar	10	16
ELEKTRO GR.		6/4"	6/4"
TERMOMETER	AV	1/2"	1/2"
IZPUST	ZS	3/4"	3/4"
CIRKULACIJA		3/4"	3/4"
POVRŠINA T.I.	m2	1,80	2,00
VIŠINA	mm	1160	1430
A	mm	1"	1"
B	mm	1"	1"
C	mm	1"	1"
E	mm	1"	1"
EMAJLIRAN	mm	DA	DA
	mm		
ØC (mm)	mm	550	550
ØD (mm)	mm	680	680
ZAKLJUČNI SET	€		
CENA	€	690,00 €	790,00 €

MODEL		GREEN LINE 200L VELIKI	GREEN LINE 200L MANJŠI
ŠIFRA			
VOLUMEN	L	200	200
NETO TEŽA	kg	89	74
IZOLACIJA	mm	75	75
ENERG. RAZRED		B	B
MAX TEMP.	T°C	95	95
TLAK	bar	8	8
ELEKTRO GR.		6/4"	6/4"
TERMOMETER	AV	1/2"	1/2"
IZPUST	ZS	3/4"	3/4"
CIRKULACIJA		3/4"	3/4"
POVRŠINA T.I.	m2	2,07	0,90
VIŠINA	mm	1215	1430
11	mm	1"	3/4"
9	mm	1"	3/4"
	mm		
	mm		
	mm		
	mm		
	mm		
ØD (mm)	mm	670	600
ZAKLJUČNI SET	€		
CENA	€	1.150,00 €	866,48 €


TERMIKA

GRELNIKI VODE 200 IN 300 SOLAR



MODEL		GREEN LINE 200L SOLAR	GREEN LINE 300L SOLAR
ŠIFRA			
VOLUMEN	L	200	200
NETO TEŽA	kg	84	104
IZOLACIJA	mm	75	75
ENERG. RAZRED		B	B
MAX TEMP.	T°C	95	95
TLAK	bar	8	8
ELEKTRO GR.		6/4"	6/4"
TERMOMETER	AV	1/2"	1/2"
IZPUST	ZS	3/4"	3/4"
CIRKULACIJA		3/4"	3/4"
POVRŠINA T.I.	m ²	0,38	0,86
POVRŠINA T.I. 2	m ²	0,90	1,12
VIŠINA	mm	1430	1605
2	mm	3/4"	3/4"
3	mm	3/4"	3/4"
5	mm	3/4"	3/4"
6	mm	3/4"	3/4"
	mm		
ØD (mm)	mm	600	670
CENA	€	982,28 €	1.070,23 €


ZALOGOVNIKI EMAJLIRANI IN KLASIK 200 IN 300 SOLAR




MODEL		GREEN LINE 200 EMAJL	GREEN LINE 300 EMAJL	GREEN LINE 300L KLASIK
EMAJLIRAN		DA	DA	NE
VOLUMEN	L	200	300	300
NETO TEŽA	kg	60	72	64
IZOLACIJA	mm	75	75	75
TLAK	bar	3	3	3
PRIKLUČKI	KOM	4	4	4
ENERG. RAZRED		B	B	B
MAX TEMP.	T°C	95	95	95
TLAK	bar	8	8	8
ZG. PRIKLJUČEK	6	3/4"	3/4"	3/4"
TERMOREGULACIJA	TR	1/2"	1/2"	1/2"
PRIK. ZA TIPALA	TS; 1, 2, 3	1/2"	1/2"	1/2"
VIŠINA	mm	1430	1605	1595
1	mm	6/4"	6/4"	6/4"
3	mm	1/2"	1/2"	1/2"
4	mm	6/4"	6/4"	6/4"
5	mm	6/4"	6/4"	6/4"
6	mm	3/4"	3/4"	3/4"
ØD (mm)	mm	600	670	670
CENA	€	709,01 €	792,14 €	738,12 €

TERMİKA

GRELNIKI IN ZALOGOVNIKI





MODEL		N ZALOGOVNIK 25L	N ZALOGOVNIK 50L	N ZALOGOVNIK 100L
VOLUMEN	L	25	50	100
NETO TEŽA	kg	11	15	22
IZOLACIJA	mm	55	55	50
TLAK	bar	3	3	3
PRIKLUČKI	KOM	4	6	8
ENERG. RAZRED		B	B	B
MAX TEMP.	T°C	95	95	95
PRIKLUČEK	Q	1"	1"	5/4"
PRIKLUČEK ZG.	AV	1/2"	1/2"	1/2"
PRIKLUČEK SP.	DR	1/2"	1/2"	1/2"
VIŠINA	mm	455	755	967
Q1	mm	167	162	214
Q2	mm			
Q3	mm			
Q4	mm			
ØD INT (mm)	mm	320	320	390
ØD EXT (mm)	mm	430	430	490
CENA	€	240,73 €	345,80 €	391,60 €



MODEL		NOB 300 FC1	NOB 300 FC HP1
ŠIFRA			
VOLUMEN	L	300	300
NETO TEŽA	kg	109	151
IZOLACIJA	mm	50	50
ENERG. RAZRED		B	B
MAX TEMP.	T°C	95	95
TLAK	bar	10	10
ELEKTRO GR.		6/4"	6/4"
TERMOMETER	AV	1/2"	1/2"
IZPUST	ZS	3/4"	3/4"
CIRKULACIJA		3/4"	3/4"
POVRŠINA T.I. 1	m ²	1,48	3,77
POVRŠINA T.I. 2	m ²		
VIŠINA	mm	1760	1760
A	mm	1"	1"
B	mm	1"	1"
C	mm	1"	1"
D	mm	1"	1"
ØD (mm) INT	mm	500	500
ØD (mm)	mm	600	600
CENA	€	850,00 €	1.340,00 €

ATERMIKA

GRELNIKI VODE VEČIH VOLUMNOV



MODEL		NOB 800 FC HP1	NOB 1000 FC HP1	NOB 1000 FC HP2
ŠIFRA				
VOLUMEN	L	800	1000	1000
NETO TEŽA	kg	277	342	346
IZOLACIJA	mm	70	70	70
ENERG. RAZRED		C	C	C
MAX TEMP.	T°C	95	95	95
TLAK	bar	8	8	8
ELEKTRO GR.		6/4"	6/4"	6/4"
TERMOMETER	AV	1/2"	1/2"	1/2"
SENZOR	ZS	1/2"	1/2"	1/2"
CIRKULACIJA		3/4"	3/4"	3/4"
POVRŠINA T.I.	m ²	6,55	8,20	6,18
POVRŠINA T.I. 2	m ²			3,66
VIŠINA	mm	1770	2100	2100
A	mm	6/4"	6/4"	6/4"
B	mm	6/4"	6/4"	6/4"
C	mm	6/4"	6/4"	6/4"
D	mm	6/4"	6/4"	6/4"
ØD (mm) INT	mm	850	850	850
ØD (mm)	mm	990	990	990
CENA	€	2.460,00 €	2.640,00 €	3.860,00 €

Atermika d.o.o.

Marjeta na Dr.polju 103/b
2206 Marjeta SI 12768626

Uroš Bogatin +386 41 328 231

uros.bogatin@atermika.si
www.atermika.si

Denis Horvat +386 31 697 005

denis.horvat@atermika.si
www.atermika.si

Branko Damiš +386 31 509 936

branko.damis@atermika.si
www.atermika.si

Domen Žunkovič + 386 041 350 981

domen.zunkovic@atermika.si
www.atermika.si

Robert Horvat +386 41 557 830

robert.horvat@atermika.si
www.atermika.si

Vse cene so v € in ne vsebujejo DDV. FCO Marjeta.
Za morebitne napake v ceniku ne odgovarjamo.

18.03.2024